# 8810 // FLEXIBLE FIT K

Assembly gloves

PPE risk category II




Perfect grip

Very high abrasion resistance

Very good dry and oil grip

15 GAUGE

NI

VERSION 1.1.22 | 261030

# 8810 // FLEXIBLE FIT K

| | |
|---|---|
| **Material:** | KYORENE® special yarn, grey |
| **Coating:** | Nitrile foam, black |
| **Size(s):** | 6-11 |
| **Packaging unit:** | 72 pair(s) |
| **Certification:** | EN 388, EN 407, OEKO-TEX STANDARD 100® |

NITRAS FLEXIBLE FIT K, assembly gloves, KYORENE®-Special yarn, grey, nitrile foam coating, black (colour code: 1210), partly coated on palm and fingertips, knitted wrist, protection against contact heat (100° C, 15 seconds), perfect wearing comfort, perfect dexterity, premium-quality, OEKO-TEX STANDARD 100®, very slip resistant, perfect grip, very high abrasion resistance, very good dry and oil grip, PPE risk category II

EN 388 4121A

EN 407 X1XXXX

EN ISO 21420

15 GAUGE

NI

| Size | 6 | 7 | 8 | 9 | 10 | 11 |
|---|---|---|---|---|---|---|
| Colour coding system | | | | | | |

## Industries

- Craft
- Building / Construction
- Automotive manufacturing
- Commissioning / shipping
- Landscape gardening

## Advantages

+ Perfect grip
+ Very high abrasion resistance
+ Very good dry and oil grip




VERSION 1.1.22 | 261030

**Performance values**

| EN ISO 21420:2020 | Test parameter | Performance levels | Test result |
|---|---|---|---|
| | Dexterity | 1-5 | 5 |

| EN 388:2016 + A1:2018 | Test parameter | Performance levels | Test result |
|---|---|---|---|
|  4121A | Abrasion resistance | 1-4 | 4 |
| | Blade cut resistance (Coupe test) | 1-5 | 1 |
| | Tear resistance | 1-4 | 2 |
| | Puncture resistance | 1-4 | 1 |
| | Blade cut resistance (TDM) | A-F | A |

| EN 407:2020 | Test parameter | Performance levels | Test result |
|---|---|---|---|
|  X1XXXX | Resistance to flammability | 1-4 | X |
| | Contact heat resistance | 1-4 | 1 |
| | Convective heat resistance | 1-4 | X |
| | Radiant heat resistance | 1-4 | X |
| | Resistance to small splashes of molten metal | 1-4 | X |
| | Resistance to large quantities of molten metal | 1-4 | X |

## Additional information

| | Material | Colour |
|---|---|---|
| Palm | Nitrile foam on KYORENE® special yarn | black |
| Index finger and thumb | Nitrile foam on KYORENE® special yarn | black |
| Back of the hand | KYORENE® special yarn, | grey |
| Fingertips | Nitrile foam on KYORENE® special yarn | black |
| Cuff / knitted wrist | KYORENE® special yarn, | grey |

## Logistics data

| Size | GTIN (SPU) | GTIN (PU) | Length (m) | Width (m) | Height (m) | Weight (kg) | Quantity PU / pallet |
|---|---|---|---|---|---|---|---|
| 6 | 4059904098336 | 4059904098398 | 0,38 m | 0,32 m | 0,31 m | 4,14 kg | 60 |
| 7 | 4059904098343 | 4059904098404 | 0,39 m | 0,31 m | 0,31 m | 4,07 kg | 60 |
| 8 | 4059904098350 | 4059904098411 | 0,34 m | 0,38 m | 0,31 m | 4,19 kg | 60 |
| 9 | 4059904098367 | 4059904098428 | 0,32 m | 0,38 m | 0,31 m | 4,54 kg | 60 |
| 10 | 4059904098374 | 4059904098435 | 0,36 m | 0,31 m | 0,31 m | 4,89 kg | 60 |
| 11 | 4059904098381 | 4059904098442 | 0,36 m | 0,31 m | 0,31 m | 5,08 kg | 32 |

Customs tariff number: 61161020910
Country of origin: China



AS Arbeitsschutz GmbH | Heinrich-Hertz-Str. 11 | 50181 Bedburg | Germany

+49 2272 9060 0 | info@nitras-safety.com | www.nitras-safety.com

NITRAS SAFETY | nitras_safety | NITRAS SAFETY PRODUCTS | NITRAS SAFETY

All information provided is correct as of the date indicated. If you have any queries or require up-to-date information, please do not hesitate to contact us at any time. All information without guarantee.