

160235

PPE risk category II



High mechanical resistance
Resistant to light and ageing
High abrasion resistance

PVC

160235



Material:	Cotton interlock, natural colour
Coating:	PVC, red
Size(s):	10
Packaging unit:	120 pair(s)
Certification:	EN 388

NITRAS PVC gloves, cotton interlock, natural colour, PVC, red (colour code: 6000), fully coated, length 35 cm, high mechanical resistance, resistant to light and ageing, high abrasion resistance, PPE risk category II

EN 388




EN ISO 21420



4121X

PVC

Industries


-  Building / Construction
-  Cleaning / Facility management
-  Landscape gardening

Advantages

- + High mechanical resistance
- + Resistant to light and ageing
- + High abrasion resistance



Performance values

EN 388:2016 + A1:2018	Test parameter	Performance levels	Test result
 4121X	Abrasion resistance	1-4	4
	Blade cut resistance (Coupe test)	1-5	1
	Tear resistance	1-4	2
	Puncture resistance	1-4	1
	Blade cut resistance (TDM)	A-F	X
EN ISO 21420:2020	Test parameter	Performance levels	Test result
	Dexterity	1-5	5

Additional information

	Material	Colour
Palm	PVC on cotton interlock	red
Index finger and thumb	PVC on cotton interlock	red
Back of the hand	PVC on cotton interlock	red
Fingertips	PVC on cotton interlock	red
Cuff / knitted wrist	PVC on cotton interlock	red

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
10	4059904106369	4059904106376	0,72 m	0,39 m	0,3 m	25,24 kg	15

Customs tariff number: 61161080910

Country of origin: China